

QL
461
B56

BULLETIN OF
THE BRITISH MUSEUM
(NATURAL HISTORY)

U. I. C. C
SEP 11 1975
LIBRARY

ENTOMOLOGY
Vol. XXIX

BRITISH MUSEUM (NATURAL HISTORY)
LONDON: 1975

ISSN 0524-6431

Printed by
UNWIN BROTHERS LIMITED
The Gresham Press
Old Woking Surrey England

A member of the Staples Printing Group

CONTENTS

ENTOMOLOGY VOLUME XXIX

	PAGE
No. 1. A list of the type-specimens of <i>Parnassius</i> (Lepidoptera: Papilionidae) in the British Museum (Natural History). By P. R. ACKERY	I
No. 2. A revision of the genus <i>Silvanus</i> Latreille (s.l.) (Coleoptera: Silvanidae). By D. G. H. HALSTEAD	37
No. 3. A revision of the tropical and subtropical species of the Eulophid genus <i>Pediobius</i> Walker (Hymenoptera: Chalcidoidea). By G. J. KERRICH	113
No. 4. The species groups of <i>Pectinopygus</i> (Phthiraptera: Philopteridae). By T. CLAY	201
No. 5. The genus <i>Aloeides</i> and allied genera (Lepidoptera: Lycaenidae). By G. E. TITE & C. G. C. DICKSON	225
No. 6. The Indo-Oriental genus <i>Drupadia</i> (Lepidoptera: Lycaenidae). By C. F. COWAN	281
No. 7. The evolution of the holarctic leafhopper genus <i>Diplocolenus</i> Ribaut, with descriptions and keys to subgenera and species (Homoptera: Cicadellidae). By W. J. KNIGHT	357
No. 8. Revisional notes on African <i>Charaxes</i> (Lepidoptera: Nymphalidae). Part IX. By V. G. L. VAN SOMEREN	415
Index to Volume XXIX	489

INDEX TO NOMENCLATURAL CHANGES IN VOLUME XXIX

abnormis, Drupadia	289 (fig.), 321, Pl. 2	Calpus	47, 49
acraconae, Pediobius	126, 127 (fig.), 152	carinaticutum, Pediobius	170
affinis, Silvanus	69	Cathartosilvanus	81
africanis, Pediobius	144, 145 (fig.)	cheesmanae, Silvanoides	86 (fig.), 87, 88 (fig.)
afronigripes, Pediobius	147, 155	cinderella, Drupadia	289 (fig.), 293, 319, Pl. 2, 5
albicans, Drupadia theda	327	cindi, Drupadia	293, 320, Pl. 2, 5
albula, Marmessus surindra	312, Pl. 1	cineas, Drupadia	289 (fig.), 345, Pl. 4, 6
alcyma, Drupadia rufotaenia	317	cinesia, Drupadia	289 (fig.), 348, Pl. 4, 6
amabilis, Silvanus	61	cinesoides, Drupadia	289 (fig.), 347, Pl. 4, 6
anastati, Pediobius	137, Pl. 3	clinognathus, Pediobius	127 (fig.), 133, Pl. 2
angolensis, Aloeides	249, Pl. 2	coalescens, Aloeides molomo	241, Pl. 1
angoniensis, Aloeides conradsi	248, Pl. 2	confusus, Lipeurus	219
angustifrons, Pediobius	122, 152	connexa, Drupadia ravindra	305, Pl. 1
anomalus, Pediobius	171, Pl. 5	corbeti, Drupadia ravindra	298, 299
apicalis, Silvanus	106	cyara, Drupadia scaeva	342, Pl. 3
aquaticus, Pectinopygus	210		
araotina, Drupadia	289 (fig.), 321, Pl. 2	daghestanicus, Diplocolenus	393
archbaldi, Drupadia rufotaenia	316	dauricus, Diplocolenus	387
arcuatus, Pediobius	135, 153	demialba, Drupadia theda	326
argyraspis, Argyraspodes	233, 236 (fig.)	dicksoni, Oxychaeta	233, 236 (fig.)
Argyraspodes	233	difficilis, Silvanus	48 (fig.), 53, 72 (fig.), 73
Argyrocupha	234	dipterae, Pediobius	150
argyroplaga, Trimenia argyroplaga	234	dohertyi, Drupadia niasica	336
armatulus, Silvanolomus	40		
aspidomorphae, Pediobius	128, 129 (fig.), Pl. 5	ellia, Pediobius	189
atra, Marmessus boisduvalii	311	epilachnae, Pleurotropis	163
austrinus, Charaxes varanes	476	erionotae, Pediobius	178, 187, 188 (fig.)
		esla, Drupadia ravindra	286 (map), 303, Pl. 1
		estella, Drupadia	339, Pl. 2, 6
		estella, Drupadia estella	340
bacchi, Calpus	76 (fig.), 78 (fig.), 80		
balina, Drupadia ravindra	309	fabricii, Drupadia theda	324
bamptoni, Charaxes baumanni	482, Pl. 18	fasciatus, Protosilvanus	91, 92 (fig.)
bangkaiensis, Drupadia theda	332	fauveli, Oryzaephilus	40
banka, Drupadia ravindra	309	florens, Drupadia niasica	338, Pl. 3
battakana, Marmessus moorei sumatranus	302, 303	foveicollis, Silvanoides	86, 88, 88 (fig.)
		fovelatus, Pediobius	163, Pl. 4
batuna, Drupadia ravindra	286 (map), 305, Pl. 1	frater, Silvanoprus	40
		fulgens, Drupadia theda	327, Pl. 2
batunensis, Drupadia theda	326	fulminans, Drupadia ravindra	311, Pl. 1
bethylicidus, Pediobius	162, 184	furvum, Pediobius	142
biranta, Drupadia niasica	335		
birmanicus, Silvanoprus	40, 75	gilae, Pensus	76 (fig.), 77, 78 (fig.)
boisduvali, Drupadia ravindra	298, 300, Pl. 1	guatemalensis, Pensus	76 (fig.), 78 (fig.), 79
brevicornis, Lipeurus	219		
		handmani, Aloeides molomo	242, Pl. 1
caesarea, Drupadia ravindra	286 (map), 304, Pl. 1	hebetatus, Silvanus	59
caesia, Drupadia rufotaenia	315, 317, Pl. 3	henningi, Aloeides	267, 269 (fig.), Pl. 4
caledoni, Aloeides	271, Pl. 4	hewitsonii, Biduanda	345

- hirtellus, *Pediobius* 141
homoeus, *Pediobius* 136
- ianthina, *Drupadia niasica* 336, Pl. 3
imbellis, *Carthartosisilvanus* 80 (fig.), 82, 83 (fig.)
- inexpectata, *Biduanda* 331
inexpectatus, *Pediobius* 157, 184
insularis, *Pectinopygus* 213, Pls 1, 2, 3
irregularis, *Pediobius* 190
iskander, *Marmessus lisias* 303
- jacksoni, *Aloeides conradsi* 247, Pl. 1
janus, *Drupadia ravindra* 306, Pl. 1
javanica, *Biduanda thesmia* 307
joloana, *Drupadia ravindra* 312, Pl. 1
juana, *Aloeides* 273
- karnyi, *Drupadia niasica* 336
kigoma, *Charaxes jahluca* 423, Pls 1, 2
kina, *Drupadia rofotaenia* 315, 318, Pl. 3
krooni, *Aloeides molomo* 240, Pl. 1
- limbatella, *Cicada* 368
lisiades, *Drupadia ravindra* 310
lividiscutum, *Pleurotropis* 166
longisetosus, *Pediobius* 160, 184
longulus, *Cathartus* 40
- macmasteri, *Aloeides* 269, 269 (fig.), Pl. 4
macmasteri, *Trimenia* 234
macrognathus, *Pleurotropis* 133
makundi, *Pectinoptgus excornis* 209, 212 (fig.)
malagrida, *Argyrocupha malagrida* 234, 236 (fig.)
- manticida, *Pleurotropis violaceus* 139
mantiechthrus, *Eulophus* 173
maritimus, *Pectinopygus* 212, 212 (fig.), Pl. 1
marjoriae, *Pediobius* 131, 153
mashona, *Aloeides damarensis* 258, Pl. 2
mediopunctatus, *Pediobius foveolatus* 125, 145 (fig.)
- melisa, *Drupadia scaeva* 343, Pl. 3
mimosae, *Parasilvanus* 98, 107, 99 (fig.), 106 (fig.)
- minus, *Silvanus (Microsilvanus)* 56
modestus, *Pediobius* 139
monticola, *Diplocolenus (Verdanus)* 390, 409 (fig.)
- monticola, *Monanus* 40
montis, *Charaxes* 442, Pl. 7
moorei, *Drupadia ravindra* 302, Pls 1, 2
- namusa, *Drupadia theda* 332
nasti, *Dectocephalus* 368, 384
neavi, *Pediobius* 123
ngonga, *Charaxes dilutus* 442, Pl. 7
niasica, *Drupadia* 333, Pl. 3, 6
niasica, *Drupadia niasica* 335, Pl. 3
nicevillei, *Drupadia estella* 340
nigrifrons, *Jassus* 367
nola, *Marmessus moorei* 302
- occipitalis, *Pediobius* 156, 183, 188 (fig.)
Oxychaeta 232
- paarlensis, *Argyrocupha malagrida* 234
pagiensis, *Drupadia theda* 327
painei, *Pediobius* 176
pallene, *Charaxes jahluca kenyensis* 421
Parasilvanus 97
parva, *Biduanda hewitsonii* 345
parvulus, *Pediobius* 182, 188 (fig.)
Pensus 47, 76 (fig.), 77, 78 (fig.)
- perlisa, *Drupadia niasica* 335
pieridis, *Pediobius* 180
plowesi, *Aloeides* 252, 255 (fig.), Pl. 2
porrectus, *Silvanoprus* 40
praecox, *Drupadia rufotaenia* 315, 319, Pl. 3
praeveniensi, *Pediobius* 138, 154
productus, *Silvanus* 48 (fig.), 52, 55
Protosilvanus 89
ptychomyia, *Pediobius* 161
pumilus, *Silvanus (Microsilvanus)* 56
- quadraticollis, *Silvanus* 59
- ravindra, *Drupadia* 289 (fig.), 295, Pls 1, 2, 5
ravindra, *Drupadia ravindra* 307, 313, Pl. 1
reflexus, *Silvanus* 56
renonga, *Drupadia theda* 325
resoluta, *Drupadia ravindra* 298, 313, Pl. 2
rhyssonotus, *Pediobius* 120, 151
robustus, *Silvanus* 48 (fig.), 53, 71, 72 (fig.)
ropalidia, *Pediobius* 119, Pl. 1
rossi, *Silvanus* 48 (fig.), 51 (fig.), 52, 54
rufotaenia, *Drupadia* 290 (fig.), 314, Pls 2, 3, 5
rufotaenia, *Drupadia rufotaenia* 316, Pl. 2
- sardonynx, *Tylopaedia* 232, 236 (fig.)
scaeva, *Drupadia* 289 (fig.), 341, Pls 3, 6
scaeva, *Drupadia scaeva* 344, Pl. 3
scudderii, *Drupadia niasica* 334
secundus, *Pseudacrias* 170
semperna, *Drupadia estella* 340, Pl. 2
semus, *Silvanus* 48 (fig.), 50, 58, 58 (fig.)
serunica, *Drupadia ravindra* 304
Silvanoides 47, 87
soror, *Pediobius* 174, 186, 188 (fig.)
southeyae, *Aloeides trimeni* 261, Pl. 3
stenochoreus, *Pediobius* 175, 186
stevensoni, *Aloeides* 250, Pl. 3
subsetosus, *Lipeurus* 219
sudeticus, *Acocephalus* 386
sumatranus, *Marmessus moorei* 302
sumptuosa, *Drupadia ravindra* 306, Pl. 1
surindra, *Drupadia ravindra* 311, Pl. 1
susanae, *Aloeides* 253, 255 (fig.), Pl. 2
swanepoeli, *Aloeides* 262, Pl. 3
- taikosama, *Aloeides* 251, Pl. 2
talboti, *Aloeides conradsi* 247, Pl. 1
taylori, *Pediobius* 121, 127, 152
telenomi, *Pediobius* 143
thaenia, *Drupadia niasica* 337

INDEX

491

thaliarchus, Drupadia theda	331	Tylopaedia	232
theda, Drupadia	289 (fig.), 322, Pls. 2, 5		
theda, Drupadia theda	330	ultra, Drupadia niasica	337, Pl. 3
thesmia, Drupadia theda	325	umara, Drupadia theda	328
thoracicus, Pediobius	189	unicolor, Drupadia theda	329
tiaratus, Deltocephalus	373		
timmermanni, Pectinopygus	211, 212 (fig.), Pls 1, 3	vanica, Drupadia theda	328
torquata, Drupadia rufotaenia	318, Pl. 3	vignae, Pediobius	146
trimeni, Aloeides	255 (fig.), 260, Pl. 3	violaceus, Pleurotropis	137
trimeni, Aloeides trimeni	260	vitulus, Silvanus	56
Trimenia	233	vulgaris, Cathartosilvanus	80 (fig.), 83 (fig.), 85, 90 (fig.)
tropicalis, Cathartosilvanus	80 (fig.), 83 (fig.), 86	wallengreni, Trimenia	234, 236 (fig.)
tuberculatus, Lipeurus	222	wykehami, Trimenia argyroplaga	234

